


- * NEW TENANT INTERIOR DOOR HARDWARE TO MATCH EXISTING (PLEASE HARDWARE FROM DEMO'D DOOR IF POSSIBLE)
- * ALL EXTERIOR TENANT DOORS TO HAVE F SOLID TOP RAIL (NO THROUGH BOLTING)
- * ALL DOOR STOPS ARE TO BE FLOOR MOUNTED (NOT WALL MOUNTED)
- * DOOR HARDWARE IS REQUIRED TO COMPLY WITH FBC 11-4.3.3 FOR ACCESSIBILITY

DOOR SCHEDULE


MARK	LABEL	DOOR				FRAME	REMARKS
		MAT	TYPE	W	H	T	
A		WD	FLUSH	30"	80"	1-3/4"	2" HM STAIN TO MATCH EXISTING

3 DOORS
1/4" = 1'-0"



- * SINKS SHALL BE MOUNTED WITH THE COUNTER TOP OR RIM NO HIGHER THAN 34\"/>

2 BREAK ELEVATION
3/8" = 1'-0"



1 WALL TYPE (INT. PARTITION)
3/4" = 1'-0"

MK	ROOM NAME	FLOOR	BASE	WALLS	CEILING	REMARKS	
		MAT	MAT HT	MAT	FIN		MAT
SUITE 400W							
100	ENTRY	EXISTING	-	-	-	-	-
101	OPEN OFFICE	EXISTING	-	-	-	-	-
102	OFFICE	EXISTING	-	-	-	-	-
103	OFFICE	EXISTING	-	-	-	-	-
104	OFFICE	EXISTING	-	-	-	-	-
105	OFFICE	EXISTING	-	-	-	-	-
106	TELCO	EXISTING	-	-	-	-	-
107	BREAK	EXISTING	-	-	-	-	-

- * ALL FINISHES ARE TO REMAIN AS EXISTING
- * ALL INTERIOR WALL AND CEILING FINISHES TO HAVE A MIN CLASS "C" FLAME SPREAD CLASSIFICATION
- * ALL INTERIOR FLOOR FINISH SHALL BE NOT LESS THAN CLASS II
- * SAMPLES ARE REQUIRED TO BE APPROVED PRIOR TO ORDERING

FINISH SELECTIONS

LAMINATE (COUNTERTOP AND CABINETS)
MANUFACTURER: WILSONART
COLOR: 805-250 W/NOV LEATHER

4 FINISH SCHEDULE