



PLUMBING LEGEND	
—	COLD WATER LINE
- - -	EXISTING COLD WATER LINE
—	HOT WATER LINE
- - -	SANITARY LINE
- · - · -	EXISTING SANITARY LINE
—	VENT LINE
—	SHUT-OFF VALVE
⊕	FLOOR DRAIN

- KEY NOTES:**
1. CONNECT NEW SANITARY LINE TO EXISTING 3" SANITARY LINE BELOW FLOOR IN THIS AREA. VERIFY EXACT LOCATION, SIZE, TO CONNECTION AND ADJUST PIPE ROUTING AND CONNECTION PER FIELD CONDITIONS.
 2. CONNECT NEW VENT LINE TO EXISTING 1 1/2" LINE ABOVE CEILING IN THIS AREA. FIELD VERIFY EXACT LOCATION, SIZE & WORK AND ADJUST PIPE ROUTING AND CONNECTION PER FIELD CONDITIONS. PROVIDE NEW VENT IF REQUIRED TO ACCOMMODATE NEW WORK.
 3. CONNECT NEW COLD WATER LINE TO EXISTING COLD WATER LINE BELOW FLOOR IN THIS AREA. VERIFY EXACT LOCATION, SIZE & CONNECTION POINT PRIOR TO CONSTRUCTION AND ADJUST PIPE ROUTING AND CONNECTION PER FIELD CONDITIONS.
 4. EXISTING 4" SANITARY LINE BELOW FLOOR TO REMAIN AS CONNECTED. VERIFY EXACT LOCATION, SIZE, INVERT, AND DIRECTION OF FLOW IN FIELD PRIOR TO CONSTRUCTION.
 5. NEW SANITARY LINE DOWN ON COLUMN AND CONNECT TO EXISTING SANITARY LINE BELOW FLOOR OF PARKING GARAGE IN THIS AREA. VERIFY EXACT LOCATION, SIZE, INVERT, DIRECTION OF FLOW & CONNECTION POINT PRIOR TO CONSTRUCTION AND ADJUST PIPE ROUTING AND CONNECTION PER FIELD CONDITIONS.

- NOTES:**
- FLOOR SLABS ARE POST TENSIONED & MUST BE XRAYED PRIOR TO CORE DRILLING OR OTHER PENETRATIONS. CONTRACTOR SHALL OBTAIN THE BUILDING OWNER'S PERMISSION PRIOR TO COMMENCING ANY SLAB PENETRATIONS.
 - ALL PIPING ROUTED BELOW FLOOR OF TENANT'S SPACE TO BE COORDINATED WITH EXISTING UTILITIES AND LANDLORD PRIOR TO CONSTRUCTION. PIPING TO BE ROUTED TIGHT TO SLAB WHERE EVER POSSIBLE.
 - CEILING SPACE IS A COMMON PLENUM NO COMBUSTIBLE MATERIALS ALLOWED.

PRIOR TO SUBMITTING HIS BID, THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND INFORMATION FROM THE ARCHITECT AND THE ENGINEER OF ANY DISCREPANCY BETWEEN THESE DOCUMENTS AND THE EXISTING CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY ADDITIONAL COSTS RESULTING FROM VERIFIABLE EXISTING CONDITIONS DISCOVERED AFTER CONTRACT HAS BEEN AWARDED. NO CHANGES SHALL BE MADE TO THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ENGINEER OF RECORD. ALL CHANGES SHALL BE SUBMITTED FOR REVIEW PRIOR TO INSTALLATION. NOT FOR BID UNTIL PERMIT HAS BEEN ISSUED.

REVISION SET: 03/02/12

PERMIT SET: 02/14/12

ENGINEERING CONSULTING
1640 N.W. Birch Bayou Blvd.
Boca Raton, FL 33432
Tel: 561.391.9988
Fax: 561.391.9989
Email: info@engineering.com

PLUMBING PLAN

SCALE: 1/8" = 1'-0"

0' 1' 2' 3' 4' 5' 6' 7' 8' 9' 10'

sheet title: PLUMBING PLAN
file name: 11436_P1.1(3).DWG

project no: 11436
date: 02/14/12
drawn by: AN/CI/AS
checked by: UI

revisions:
1. 03/02/12 ADDENDUM #1

P1.1

GS&P ARCHITECTS, INC.
1401 FORUM WAY, SUITE 100
WEST PALM BEACH, FLORIDA 33401
TEL: 561.684.5594
FAX: 561.684.5594
E-MAIL: info@gsp-architects.com

TENANT IMPROVEMENTS FOR:
NORTHBIDGE CENTER GYM FACILITY

515 N. FLAGLER DR., SUITE P-100
WPB, FLORIDA

GS&P GLIDDEN • SPINA & PARTNERS
ARCHITECTURE • INTERIOR DESIGN, INC.

PHONE: 561.684.6844 • FAX: 561.684.5594 • E-MAIL: info@gsp-architects.com
1401 FORUM WAY, SUITE 100 • WEST PALM BEACH, FLORIDA 33401
FL License: #AA26001602

Keith M. Spina #A13419 Benjamin John Glidden, III #A66536