


WALL LEGEND
EXIST PARTITION
EXIST 1 HR PARTITION




1. ALL WALLS/DOORS ARE EXISTING AS PER EXISTING FLOOR PLAN 1/A-1
2. ALL PLUMBING/WORK IS EXISTING AS PER EXISTING FLOOR PLAN 1/A-1
3. TOILET ROOMS ARE EXISTING IN COMMON AREA CORRIDOR AS PER FLOOR PLAN 1/A-1
4. DRINKING FOUNTAIN IS EXISTING IN COMMON AREA CORRIDOR AS PER FLOOR PLAN 1/A-1

WALL LEGEND
EXIST PARTITION
WALLS TO BE DEMO'D

AS PER SECTION 1.0, THE INSTALLATION OF NEW PARTITIONS SHALL BE PROHIBITED. ALL LINES SHALL BE CAPPED OFF WITHIN 2 FEET OF A FIRE BRICK OR CONCRETE REMOVED.

1 (EXISTING) FLOOR PLAN

3/16" = 1'-0"




1. DEMO DOORFRAME AS INDICATED IN DEMO PLAN 2/A-1. DOORS TO BE STORED FOR REUSE ON THIS PROJECT. PROVIDES AND HANGING TO BE DISCARDED
2. DEMO CEILING AS REQUIRED FOR PROPOSED CEILING AREA. ALL CEILING TILE/GRID TO BE REMOVED AND STORED FOR REUSE ON THIS PROJECT
3. REMOVE ALL EXISTING CARPETING THROUGHOUT SUITE

- STRUCTURES UNDERGOING CONSTRUCTION, ALTERATION OR DEMOLITION SHALL COMPLY WITH NFPA 241
- ACCUMULATIONS OF COMBUSTIBLE WASTE AND DUST DEBRIS SHALL BE REMOVED FROM THE STRUCTURE AND ITS IMMEDIATE VICINITY AT THE END OF THE SHIFT OR MORE FREQUENTLY AS NECESSARY FOR SAFE OPERATIONS
- EXIT AND ACCESS CORRIDORS ARE TO BE MAINTAINED AND REMAIN CLEAR AND UNOBSTRUCTED
- THE MAIN BUILDING FIRE PROTECTION SYSTEMS SHALL BE MAINTAINED AND OPERATIONAL AT ALL TIMES
- IN THE EVENT THAT THE FIRE PROTECTION SYSTEMS GO OUT OF SERVICE FOR MORE THAN 4 HOURS IN A 24-HOUR PERIOD, THE BUILDING SHALL BE PLACED ON A FIRE WATCH

2 (DEMO) FLOOR PLAN

3/16" = 1'-0"

WALL LEGEND
EXIST PARTITION
NEW MT. STUD PARTITION




1. PROVIDE NEW PARTITIONS/DOORS AS PER PROPOSED FLOOR PLAN 3/A-1
2. REUSE EXISTING DOORS IF POSSIBLE. PROVIDE NEW BUILDING STANDARD 1/4" FRAMES AND GLASS DOORS TO SUITE #205. PROVIDE NEW BUILDING STANDARD 1/4" FRAMES AND GLASS DOORS TO BE REFINISHED AND STAINED. SUITE #205 IS TO REMAIN
3. PROVIDE NEW MILLWORK AS PER PROPOSED FLOOR PLAN 3/A-1
4. REPAIR/REPLACE NEW BUILDING STANDARD BUILDINGS AS REQUIRED

AS PER SEC. 1.4.1, THE PATH OF TRAVEL TO THE ALTERED AREA AND THE RESTROOMS, TELEPHONE AND DRINKING FOUNTAIN SERVING THE ALTERED AREA ARE READY ACCESSIBLE TO AND USABLE BY INDIVIDUALS WITH DISABILITIES

TEENANT TO APPROVE OF ALL FINISHES/NOF DRAWINGS/LAYOUTS/DIMENSIONS/HEIGHTS PRIOR TO ORDERING AND CONSTRUCTION

WALL LEGEND
EXIST PARTITION
NEW MT. STUD PARTITION



1. PROVIDE NEW CEILING/TILE GRID AS PER PROPOSED CEILING PLAN 4/A-1

3 (PROPOSED) FLOOR PLAN

3/16" = 1'-0"

4 (PROPOSED) CEILING PLAN

3/16" = 1'-0"

Bd

birse design inc.

5300 woodland lakes drive
palm beach gardens, fl 33418

phone 561-249-4001
fax 772-409-8684
AA26001615

ALLEN S BIRSE
A060279

COURT CASUAL

FOUNTAIN SQUARE
2600 N MILITARY TRAIL #205
BOCA RATON, FL

PROJECT NUMBER 260015

REVISIONS
1
2
3
4
5

DRAWN BY ASB
CD
02/04/13

A-1